




Paul Summit




Heavy Duty Commercial Carpet Tiles






165




575




095



025



085




035




Paul Summit

Construction	Loop Pile
Yarn/ fibre	100% Olefin
Dye Method	Solution Dyed
Pile Weight	550g/m ²
Pile Height	3.5mm
Gauge	1/10th
Stitches / 10cm	41.0
Tile Size	500 x 500mm
Backing	Glass fiber Reinforced PVC
Total Thickness	6.00mm
Total Weight	4.9kg/m ²
Tuft Density	161950/m ²
Dimensional Stability	DXN 54318 6.20
Electrostatic Propensity	AATCC - 134 < 3.5KV
Fire Rating ISO 9239.1	4.4kw/m ² Critical Radiant Flux
Adhesive	ECO-800 Pressure Sensitive Low VOC
Installation Method	Quarter Turn (preferred)



Quarter Turn



Ashilar



Sound
Insulation




Heat
Insulation



Anti-static



Colorfast




Wearproof



Anti-
flammability

Terms and Conditions: Specifications are subject to manufacturing tolerances and maybe changed without prior notice. Dye lots may vary in colour from sample and between production lots. All product purchases are subject to Messara Trading Standard Terms and Conditions of Sale. Please refer to our Installation Guideline, Maintenance Manual and Warranty Document for further clarification.

Disclaimer: This Brochure is presented for informational purposes only. Every effort is made to ensure that carpet images are of an accurate representation of the product. However, they are for illustrative purposes only and colour variations may occur in actual product, and between die series. Please note that lineal patterns when installed directional, may produce an undesired effect when lines of the same colour meet of two edges. Installers need to monitor this during installations and reposition tiles where appropriate. Patterns that are random in nature may contain additional colour ways to the ones displayed on the samples. Please consult your commercial sales consultant for further informations.





ZAYAANCO

Suite No. 704, Orange Tower,
Next to National Paint Factory, P. O. Box
72936, Sharjah, U.A.E.

Hotline : +971 5555 6 4004

Tel No. : +971 6 569 17 57

info@zayaanco.com, www.zayaanco.com

ZAYAANCO – GROUNDING SOLUTIONS : Outdoor carpet stockiest dubai I Structured loop carpet tiles specialist abu dhabi I Pool mat traders dubai I Swimming pool mat traders abu dhabi I Wet area mat suppliers al ain I Underlays suppliers abu dhabi I Crumb rubber underlay uae I Sponge rubber underlay dubai I Silver underlay dubai I Felt underlay rak I Parquet underlay ajman I Hotel carpet dubai I office carpet companies dubai I Hospital carpet installers dubai I Banquet hall carpet abu dhabi I Ball room carpet traders dubai I Living room carpet specialist dubai I Guest room carpet stockiest abu dhabi I Hand tufted carpet manufacturer dubai I Wool tufted Carpet specialist uae I Mosque carpet manufacturer dubai I Masjid carpet dubai I Custom design carpet installers dubai I Vinyl carpet tiles abu dhabi I Tufted carpet specialist uae I Bank carpet installers dubai I Domestic carpet companies sharjah I Residential carpet suppliers sharjah I Commercial carpet manufacturer Sharjah I Textured carpet al ain I Modular carpet supplier rak I Exhibition carpet stockiest uae I Wool carpet installers dubai I Children carpet companies sharjah I In & out rugs carpet manufacturer uae I outside carpet companies al ain I Ax-minister carpet dubai I Machine tufted carpet dubai I Hand tufted mosque carpet abu dhabi I Carpet tile al ain I Rugs carpet uae I Recycled carpet dubai I Protective carpet tile traders dubai I