

# Game on.

## Decoflex™ D10 Outdoor Sports Flooring

Decoflex™ D10 Outdoor Sports Flooring is a prefabricated sports flooring system specifically engineered for all weather sports applications. It is a true multipurpose sports surface ideal for schools, clubs, colleges, universities and public facilities.

By incorporating a resilient recycled rubber base mat, Decoflex™ has been optimized for just about any outdoor sports requirement. The top surface is always made of a highly durable, colored synthetic EPDM rubber ensuring long life and optimum playability.

- Completely prefabricated, dual layer sports system
- 10mm thick
- Ideally suited as an outdoor multi-sport surface
  - basketball
  - tennis
  - volleyball
  - netball
  - 5-a-side soccer / futsal
  - badminton
  - handball
  - school yard
- Supplied in rolls, ready to install and use
- Easy to install & no special machinery required
- No joint stress
- Available in many colors
- 7-year warranty



**Decoflex™**  
SPORTS FLOORING

**Decoflex D10**  
for Outdoor Sports



**ZAYAANCO**

**DECOFLEX™ D10**  
for Outdoor Sports

[www.zayaanco.com](http://www.zayaanco.com)



**Decoflex**<sup>TM</sup>  
SPORTS FLOORING

**Decoflex D10**  
for Outdoor Sports





**Decoflex**<sup>TM</sup>  
SPORTS FLOORING

**Decoflex D10**  
for Outdoor Sports






**Decoflex™**  
SPORTS FLOORING

**Decoflex D10**  
for Outdoor Sports

**ZAYAANCO**

**Build Up**



**General Specifications**

Test Description	Test Method	Decoflex™ D10
Standard Deformation +40°C	DIN 18035 Part 6	0.64 mm
Force Reduction +40°C	DIN 18035 Part 6	20%
Sliding Behaviour	DIN 18035 Part 6 Sliding Coefficient	Dry 0.86
		Wet 0.63
Ball Rebound	DIN 18035 Part 6	100%
Waterpermeability	DIN 18035 Part 6	Impermeable
Abrasion Resistance	DIN 18035 Part 6	rV = 6.8
Indentation Behaviour	DIN 18035 Part 6	Maximum Indentation when loaded 2.4 mm
		Remaining Indentation 0.18 mm
Flammability	DIN 51960	Class 1
Tensile Strength	DIN 18035 Part 6	0.97 N/mm <sup>2</sup>
Elongation at Break	DIN 18035 Part 6	46%
Deformation Modulus	DIN 18035 Part 6	4.7 N/mm <sup>2</sup>



# ZAYAANCO

Suite No. 704, Orange Tower,  
Next to National Paint Factory, P. O. Box  
72936, Sharjah, U.A.E.

Hotline : +971 5555 6 4004

Tel No. : +971 6 569 17 57

[info@zayaanco.com](mailto:info@zayaanco.com), [www.zayaanco.com](http://www.zayaanco.com)

Indoor basketball flooring Dubai | Gymnasium flooring UAE | Fitness flooring Abu Dhabi | Indoor sports flooring contractors Dubai | Volleyball flooring | Handball  
Indoor sports flooring specialist UAE | PVC indoor sports flooring installers Dubai | Extreme sports flooring suppliers Sharjah | Badminton flooring specialist Dubai |  
Tennis court surfaces companies Dubai | Polyurethane sports flooring specialist Abu Dhabi | Bespoke gym flooring Dubai | Synthetic sports flooring suppliers Dubai |  
Wooden sports flooring Al Ain | Linoleum sports floor installers Dubai | Sports floor line marking specialist Dubai | Indoor sports floor line marking Abu Dhabi |  
Fitness flooring Dubai | Jogging track flooring specialist UAE | Modular sports floor suppliers RAK | Multipurpose sports floor manufacturer UAE | Poly turf floor  
Dubai | Resilient flooring suppliers Abu Dhabi | Flooring Adhesives in Dubai | Self leveling contractors in UAE | Flooring installer in Abu Dhabi | Flooring contractors  
Dubai | Flooring suppliers in Dubai | Flooring solutions Dubai | Acoustic multi-layer flooring solutions Dubai | Educational acoustic Dubai | Antistatic flooring UAE |  
Commercial flooring Abu Dhabi | Contract flooring Dubai |