

NARIMAN TRADING COMPANY L.L.C



شركة ناريمان للتجارة ذ.م.م.
NARIMAN TRADING CO. L.L.C.
Leading Industrial and Oil-field Equipment Supply Company in UAE



Sharjah Head Office

Tel: +971-6-5331789/35
Fax: +971-6-5339409
P.O. Box: 6183
Cable: Nitro Head, Sharjah - U.A.E.
E-mail: ntc@narimanuae.net.ae



Ajman Branch

Tel: +971-6-7431813
Fax: +971-6-7431863
P.O. Box: 8103 (Sharjah)
New Ind. Area, Ajman - U.A.E.
E-mail: ntc@narimanuae.net.ae

Musafah Branch

Tel: +971-2-5502434
Fax: +971-2-5502437
P.O. Box: 1033 (Sharjah)
Musafah, M.V. Abu Dhabi - U.A.E.
Email: sales@narimanuae.com

Website: <http://www.narimanuae.com>



PROFILE

Nariman Trading Company is today a successful, popular and looked upon as one of the vital name catering the fastest growing demands of petroleum and petrochemical product distribution companies whose scope covers transportation, storage, distribution, pumping, transferring & metering of liquids. **Nariman** has come a long way since then, from humble origin, to emerge as a significant market force in the UAE's trading industry. Within a shortspan of time, we made it a leading company catering to the needs of major Oil, Petrochemical and Transport companies. A wide range of products thoughtfully selected from world's renowned companies are being handled to suite every requirements that comes in. Although many things have changed over the years one thing that has reminded constant is our commitment towards customer satisfaction.

Nariman Trading Company's philosophy of putting the customer first is clearly evident from the high-quality of products we provide. We have the personnel and expertise to meet all your requirements. We stock huge quantity of products to meet your requirements all round the year. A brief product list is attached to give you the idea of the product we are dealing. We shall be pleased to receive your enquiries and will be delighted to give best of our Product / Price / Service.

For any queries / Complaints please contact:

Mr. Syed Anwar Hussain
Chairman & Managing Director
(NTC Group of Companies)

E-mail: alnariman@hotmail.com / alnariman@yahoo.com

For Sales Enquiries Contact:

Sharjah Head Office

Mr. Ramonathan
(Sales Manager)
Mob: +971-50-4938758
Mr. Ali Eisa Syed
(Sales Engineer)
Mob: +971-50-5398445
Mr. Musavver Pasha
(Senior Sales Executive)
Mob: +971-55-2693231

Ajman Branch

Mr. Sheikh Chond Basha
(Branch Manager)
Mob: +971-50-4944394
Mr. Kaseem Ullah
(Sales Executive)
Mob: +971-50-1624111

Musafah Branch

Mr. Quaja Mohyuddin
(Senior Sales Coordinator)
Mob: +971-55-4406185
Mr. Zulfikar Ali
(Sales Coordinator)
Mob: +971-55-6406289

Website: <http://www.narimanuae.com>

Your enquiries will have our best attention and will try our best to give you a better service and waiting for your valuable enquiries.

OUR PRODUCT'S

FILL RITE USA (PETROLEUM PUMPS & FLOW METERS)

FILL-RITE

Rotary Hand Pumps - Series100

Especially effective with medium viscosity liquids, as well as oils, gasoline and diesel fuels, the rotary action of these easy to use transfer at up to 10 gallons (38) per revolutions.



DC Pumps (Battery Powered) Series 1200 12 Volt Series 2400 12 Volt

This industries standard DC pump dispenses up to 12 GPM (46 L/min). The pump weighs less than 27 pounds (12.2 kg) with hose and nozzle, and has a draw that's easy on the DC power source-a meter 18-20 amps.



AC Utility Pumps-High Flow series 700B

These rugged, positive displacement, economy pumps are UL listed and deliver flow rates up to 18 GPM (69 L/min)



AC Utility Pumps-High Flow Series 300

With a flow rate few can match, these pumps provide long life and deliver up to 30 GPM (114 L/min.)



AC / DC PUMPS & FLOW METERS



Great Plains Industries, Inc. is a leading manufacturer of AC fuel transfer pumps, DC fuel transfer pumps, Diesel Exhaust Liquid (DEF) products, methanol pumps and meters and fuel transfer hand pumps. GPI is the number one brand of fuel transfer pumps sold at retail.

FLOW METER'S

**TOTAL
CONTROL
SYSTEMS**

FUEL FLOW METERS



The Total Control Systems 700 series rotary flow meter was designed to measure liquids within the Adhesives, Agricultural, Aviation, Chemical, Food Processing, Paint, Petrochemical, Petroleum, Pharmaceutical, Printing, Textiles and other industries, requiring precise liquid measurement solutions.

The TCS Model 700 series flow meter has a simple and efficient meter design consisting of a housing and three rotors that rotate in unison within the measuring chamber. The absence of wear, from no metal-to-metal contact inside the chamber, eliminates any deterioration in accuracy and provides a long service life. The rotors are supported by bearings inserted into two bearing plates, where at the end of each rotor shaft is a timing gear. The timed rotation between each rotor is then transferred through the calibration adjuster to the register, which will then give a consistent and superior measurement of accuracy.

POSITIVE DISPLACEMENT FLOW METERS



In 2001 Liquid Controls became a member Business Unit of IDEX Corporation, manufacturers of an extensive array of proprietary, engineered industrial products sold to customers in a variety of industries around the world. Joining other successful businesses with leading positions in their niche markets, Liquid Controls further strengthens its ability to provide the best solutions for its clients. Since 2001, Liquid Controls has continued to expand its reach in the fluidic movement, measurement and management. With the creation of the Liquid Controls Group, our worldwide presence has grown to include Corken Pumps, Faure Herman, Sampl, Sponsler and Toptech Systems. The synergies between these business units allows expansion upstream and downstream into the markets we serve as well as offering the opportunity to enter new markets. This continued expansion offers our customers a variety of solutions to meet their needs.




LPG Meters

Liquid Controls provides solutions for metering and pumping LPG in stationary and mobile applications. From bottals to bulk plantid the MA-Series and MSA-series meters have provided safe and accurate measurement for custody transfer. The Z-series pumps from Corken provide the perfect complimentary product for a complete movement, measurement and management solution.



FLOW METER'S



POSITIVE DISPLACEMENT METERS AND PUMPS



- LPG meter for tank and depots
- Min. Flow-rate: 38 l/min.
 - Max. Flow-rate: 380 l/min.
 - Max. Flow-rate: 200 kpa
 - Flanges: 2"

M15-NX

- Meter for petroleum and petrochemical Products for tanks and depots.
- Min. Flow-rate: 100 l/min.
 - Max. Flow-rate: 1000 l/min.
 - Max. Pressure: 1000 kpa
 - Flanges: 3"



CPM - 350

Motorpump unit with coupling by reducer to a diesel motor, base.



RVP-3 - GE-C10

Electropump unit with coupling by belts and pulleys to an electric motor, steel base.



WATER METERS

B METERS



GSD5

- Water meter single jet dry dial
- Class B-H/A
- Cold water 30°C-Hot water 90°C
- Working Pressure 16 bar
- Revolving dial 360°
- Magnetic driven
- Reading = 100.000 Cubic meters
- Hydraulic packing capacity to leakage caused by low temperature (-15°C)
- Waterproof counter
- Reading in Imperial gallons (on request)

DN		Length mm
15	(1/2")	80-110-115
15	(7/8"-3/4")	115
20	(3/4")	130

GMD X

- Water meter multi jet dry dial
- Class B-H/A
- Cold water 30°C-
- Direct reading on numbered rolls
- Reading = 100.000 Cubic meters
- Magnetically driven
- Working pressure 16 bar
- & 50 available with flanges as well

DN		Length mm
15	(1/2")	145-165-190
20		190
25	(1 1/4")	260
32	(1 1/2")	280
40		300
50		300



WDEK20

- Water meter Woltmann type
- Class B-H
- Removable insert
- Cold water 30°C
- Direct reading on numbered rolls
- Reading = 10.000.000 cubic meters & 504 125
- Reading = 10.000.000 cubic meters & 160 4 300
- Reading = 10.000.000 cubic meters & 160 4 200
- Magnetically driven
- Impulse reading device (on request)
- Working pressure P N 16

DN		Length mm
50	(2")	200
65	(2 1/2")	290
80	(3")	225
100	(4")	250
125	(5")	250
150	(6")	300
200	(8")	350




BLACKMER & CORKEN PUMP'S



BLACKMER USA

Durable pumps for fast unloading and quiet operation

Blackmer TX type pumps have long been popular for loading and unloading a wide range of non-corrosive, non-abrasive industrial fluids and petroleum products such as fuel oil, diesel, kerosene, Avgas, jet fuel oil and lube oils. Models are offered in 1.5, 2.5, 3 and 4-inch port sizes, with flowrates from 10 - 500 U.S gpm (38-1890 lpm.)



Blackmer XL type pumps are commonly used in refineries, lube oil plants and general industry for processing, filling and transfer applications



Blackmer rotary hand pumps provide a safe, convenient method of dispensing or transferring non-corrosive liquids from drums, barrels, tank or vats. They are designed for easy, efficient operation handling a wide range of liquids in industrial, construction and agricultural applications.



POSITIVE DISPLACEMENT VANE PUMP

CORKEN

MEET YOUR LAST PUMP

For Bulk Plant
Operation, Core-Vane
PC Series Deliver



CORKEN CORO-VANES are sliding vane, positive displacement, self-priming pumps available in 2.5", 3" and 4" sizes.

The 'KC' series of Coro-Vane pumps are specifically designed to easily handle a wide variety of fluids with low maintenance costs and consistently high performance throughout the pump life.

Standard construction features include: long-lived mechanically seals, heavy-duty external ball bearing isolated from the pumpage flanged piping connections and easy replacement of all wear parts

PUMP'S & FUEL DISPENSER'S



CENTRIFUGAL PUMPS / GEAR PUMPS

- 1) ROTARY GEAR PUMP
- 2) SELF PRIMING CENTRIFUGAL PUMPS
- 3) ROTARY VANE PUMP



For more than 80 years, Gorman-Rupp has manufactured the high performance, high quality pumps and pumping systems required for lasting service in the municipal, water, wastewater, sewage, industrial, construction, petroleum, fire and OEM markets.

Gorman-Rupp's extensive line of pump products include self-priming centrifugal pumps, standard centrifugal pumps, submersible pumps, trash pumps, priming assisted pumps, and rotary gear pumps.

In addition, Gorman-Rupp manufactures a complete line of state-of-the-art packaged lift stations and booster stations that include pumps, motors, controls, piping, accessories and enclosures.

GASBOY DISPENSERS



All models are designed specifically for the demanding requirements of fleet and commercial fueling needs. Suction pump models are built with heavy duty, belt-driven pumping units, and all models contain the industry's most accurate positive displacement meter. Electronic and mechanical registration models are available. For saddle tank fueling applications, satellite dispensers are offered for fueling on both sides of the vehicle.

EURO PUMP ITALY



Main Features :

- Eurostar Fuel Dispensers optimize your business with its compact design across every market while keeping your budget.
- ATEX approved design.
- MID approved hydraulics make you sure about accuracy.
- Capacity : 45 , 70 or 120 lt/min.
- From 2 grades, 2 nozzles to 5 grades and 10 nozzles configurations.
- WYN-Dart compatible automation connection
- Volume or Money preset filling.
- Fuel Dispensers are offered in a choice of configurations, with a selection of options to meet existing and anticipated needs.

HONGYANG DISPENSERS



China Hongyang Group, is an integrated enterprise with the research & development, production and marketing of Fuel Dispenser and related accessories as well as service station concerning equipments. It concentrates on the relative manufacture & services of filling station such as Hongyang tax control Fuel dispenser, IC Card fuel dispenser, manage system of network for stations, submersible pump and liquid level device. China Hongyang Group, designed supplier of SinoPec and PetroChina, our HONGYANG products have been sold to over 50 countries in South-east Asia, Mid-east, Africa, Europe and well received in their markets.

FUEL DISPENSER'S & GAUGE'S



FUEL DISPENSERS

STANDARD STEEL MODELS

Model	Self-Contained
3913	Single Product
3913D	Single High Capacity
3925	Two Product Twin
3925D	Two Product Twin High Capacity
3927	One Product Twin

Model	Remote
3912	Single Producer
3922	Twin Product Twin
3924	OneProduct Twin



Standard production High Capacity Self-Contained dispensers are equipped with heavy duty pumping units 3/4H.P. Continuous Duty Motor, 1" hose and 4-wheel computer. Each outlet can deliver an average of 20 GPM (75-84 LPM) depending upon installation, hose and nozzle specifications

FUEL NOZZLES

OPW / Catlow / Husky

For Heavy Duty, High Flow Truck, Bus and Fleet Service

If you operate a full service truck-stop, refueling location, the low cost, long life and durability of the OPW 7H high flow nozzle can help increase your productivity, sales and profits.

OPW 11A Series are designed with today's consumer in mind. Small, trim, light-in-weight easy and convenient to use, the OPW 11A is a rugged performer that offers long life and reliable



OPW Engineered Systems
PART OF BUNGE FLORE TRANSFER GROUP



OVERFILL VALVES & CLOCK GAUGES

Morrison Bros. Co.
Established 1855

- 1) Clock Gauges
- 2) Overfill Prevention Valves
- 3) Emergency Vents
- 4) Solinoid Valves
- 5) Inline Strainers



Morrison Bros. Co. has over 1200 different products forming the most complete line of AST Equipment manufactured in the world. The products cover a broad spectrum of the industry, including tank trim for retail service stations, above ground storage tank equipment, transportation, environmental monitoring, bulk fuel storage, and certain industrial applications for fuel and water systems

LOADING ARM & QUICK COUPLING



FLAME ARRESTOR / LOADING ARMS



Features & Benefits

- Flame Arrestor Screen – For jurisdictions that require flame arrestors on tank vents.
- 5 psi (0.34 bar) Pressure & 1 oz. Vacuum Settings – Factory preset and tested to protect against product vapor loss and allow for rapid withdrawal of product from the tank.
- Reliable Service – Precision-machined, lapped bronze pressure and vacuum seats ensure consistent seating of the pressure/vacuum valve.
- Corrosion-Resistant Construction – Zinc/Aluminum alloy body and zinc-plated steel dome assure a long service life.
- Easy Installation – The 515ML is available in 2" (11-1/2" NPSH) male straight threads.
- High-Maximum Flow Rate – 3500 SCFH at 7.5 psi (0.52 bar) pressure drop.



Loading Arms

A loading system should have sufficient horizontal range to reach the farthest compartment without re-spotting the vehicle. Sufficient vertical movement and drop-pipe lengths to service vehicles of varying heights is also necessary. A properly designed top loading system can achieve this requirement. Top loading arms can also be used for tight-fill and vapor recovery applications when used with specially designed and engineered components, such as vapor plates, tapered hatch plugs, and inflatable hatch seals.

QUICK CONNECT / DISCONNECT COUPLINGS



PT Coupling manufactures and distributes American made quick connect/disconnect couplings and replacement parts for the Petroleum, Industrial, Chemical and Food Grade markets. We continually strive to provide these quality products at a competitive price, with on time delivery, and the highest standards of customer service.

OIL WATER SEPARATORS



Oil Water Separators

PECOFacet has the answer to all your separation needs.

PECOFacet Bilge and Oil/Water Separators are designed to treat hydrocarbon water and have our patented MPak® Double Corrugated Coalescent Plates technology installed inside them.

We help you design the most appropriate separator system that not only meet regulatory requirements, but which are cost-effective as well. All Oil Water Separator units are highly adaptable to the available space making installation easy.



Military Marine

PECOFacet offers fuel, lube oil, and water treatment units designed specifically for the military marine market. We have delivered units meeting the most stringent requirements and certifications including shockproof, soundproof and antimagnetic products.

Our know-how in filtration and separation, together with our experience in handling of fueling systems, has enabled us to develop an expansive range of Marine products. Today we supply filtration for inflight fueling, Seawolf and Virginia Class Submarines, DDG Class Destroyers, AOE Class Fast Combat Support Ships, USNS Class Cargo and Medical Ships, LHD Class Amphibious Assault Ships, CVN Nuclear-Powered Aircraft Carriers, MHC Class Mine Hunter and MCM Class Mine Countermeasure Ships.

TANKER EQUIPMENT'S

Betts
Industries Inc.

EMCO WHEATON
A Gardner Denver Product

TANKER EQUIPMENTS



Openable API Adaptor F5002

An API adaptor with a one-piece body, hard anodized undexible nose ring, flat bottom and product indicator. This valve sets standards in terms of design features and build quality against which others will be judged



16" Manhole Cover F0337/8
Internationally accepted and specified by oil companies around the world to assist with conveyance of petroleum based products, the Emco Wheaton range of lightweight aluminum manhole covers offer unvelled safety and operational benefits.

F0335



Emergency Valve Bottom Opetator F0019
Internationally regarded as the industry standard the Emco Wheaton range of F0019 Bottom provide selective remote control of from one to six Emergency Valves to Valves to ensure positive control during liquid discharge.



Dip Guide Tubes & Dip Materials

F0272, F0292 F0293
The physical method of dipping/measuring a tank compartment's contents by inserting a stick is facilitated by use of these well established products. A mandrel with vented quick release cap is used for quick access. A full length, gauzed aluminum extruded tube is included with F0293 dip tube assemblies assisting accurate measuring of product.



F5002

API Dust Cap

F0499
Robust, easy to use aluminum dust cap suitable for all valves manufactured to API RP1004



F0337/8

Mechanical Emergency Valve

F0335
Ease of maintenance, simplicity of design and durability have helped to make this valve international standard for transporters of petroleum products who require a tough, reliable- Mechanically operated valve.



Emergency Valve Sump

F0026
Designed for easy welding steel tank shells, these sumps ensure maximum drainage of the tank compartment and full flow through the emergency valve. Designed for use with Emco Wheaton Emergency valves with



Oval Manhole Cover (440 x 384 mm)

Internationally accepted and specified by oil companies around the world to assist with conveyance of petroleum based products, the Emco Wheaton range of lightweight aluminum manhole covers offer unvelled safety and operational benefits.

HOSE REELS USA

REELCRAFT



Reelcraft's series D80000 OLP spring retractable reels incorporate the most current design and manufacturing techniques to guarantee long life and trouble-free performance. All- steel construction and a baked-on powder coat finish combine to produce a rugged corrosion resistant product suitable for a wide variety of heavy duty application. Series 80000 reels are also supplied with Reelcraft's new ball- bearing style swivel.

These mobile base reels offer the greatest amount of stability for high volume air, water, fuel and petroleum. Ideal for portable service trucks, permanent service or plant work areas. Basic reels without hose will handle air, water or oil; consult Reelcraft for other applications.

Static discharge reels are used to ground equipment operating in hazardous atmospheres, such as fuel trucks or carts transferring flammable materials. When properly clamped to ground, the static discharge reel dissipates static electrical buildup, reduces chances of sparking and the potential for explosion

ENGINEPUMP'S & RELIEF VALVE

ENGINE DRIVEN PUMPS


HONDA KOSHIN



YANMAR DIESEL ENGINE PUMPS



ROBIN SUBARU



Light weight and compact design

Easy maintenance: just remove the bolts to clean the inside of the casing.

Meets a wide range of applications coupled with air-cooled diesel engines.

PRESSURE RELIEF VALVES



- 1) PRESSURE RELIEF VALVES
- 2) SAFETY RELIEF VALVES
- 3) CHOKE VALVES



Every Taylor Valve Technology, Inc. product is designed to meet the highly demanding requirements of oil and gas producers, refiners, chemical plant operators, power generators and the processing industry in order to more effectively control their liquid, steam or gas operations. Our promise is to meet these needs in an economical, yet operationally safe and environmentally responsible manner.

Quality API and ASME Code valves can be shipped from Taylor Valve Technology, Inc.'s facility in the United States quickly and reliably anywhere in the world.

FUEL HOSE & FILTER'S

ALFAGOMMA



ELAFLEX

GOODYEAR



PETROLEUM HOSES UK

PETROLEUM / OIL SUCTION DISCHARGE HOSE

The most vulnerable link in the chain of production, distribution and use of bulk hydrocarbons is the point of transfer. Compoflex produces a comprehensive range of composite hoses, specifically and easily handle hydrocarbons hydrocarbos Including oils, petrol, diesel, lubricants, oils, paraffin and 100% aromatics, in all kinds of transfer.



FILTERS



Cim-Tek® Filtration is the world-wide leader in filter technology for the petroleum, industrial, agricultural, bio-fuel and HVAC markets. We have over 50 years experience developing quality products while successfully maintaining our status as the innovator in fluid filtration. Cim-Tek® filters are designed for gasoline, diesel, bio-fuels (biodiesel & ethanol), fuel oil, hydraulic and industrial fluids, gear oils and most synthetic fluids. For particulate and water removal, Cim-Tek® filtration offers your best choice of options. Private labeling is available for short-runs and we will work with you to develop filters for your special application. Call us today with any questions you may have regarding filtration applications.

EVER-TITE



Part 1 Male Adapters - Female Thread <small>Sizes available in 1/2" to 6"</small> 	Part 2 Female Couplers - Hose Thread <small>Sizes available in 1/2" to 6"</small> 	Part 3 Male Adapters - Hose Thread <small>Sizes available in 1/2" to 6"</small> 	Part 4 Dust Plug <small>For use With Couplers Sizes available in 1/2" to 6"</small> 
Part 5 Female Couplers - Male Thread <small>Available in 1/2" to 6"</small> 	Part 6 Female Couplers - Thread <small>Sizes available in 1/2" to 6"</small> 	Part 7 Male Adapters - Male Thread <small>Available in 1/2" to 6"</small> 	Part 8 Dust Cap <small>For use With Couplers Sizes available in 1/2" to 6"</small> 

PRODUCT LIST & CONTACT'S

PRODUCT LIST

FLOW METER

1. LIQUID CONTROL - USA
2. FILL - RITE - USA
3. FLUID POWER PRODUCT - USA (FPP METER)
4. GAS BOY - USA
5. SAMPI - ITALY
6. GPI - USA

WATER METERS

1. K44 - ITALY
2. B - METER - ITALY
3. MEINECKE - GERMANY
4. KENT WATER METERS

PUMPS

1. CORKEN PUMPS - USA
2. GORMAN - RUPP PUMPS - USA
3. BLACKMER PUMPS - USA
4. ROVATI PUMPS - ITALY
5. ROBIN KOSHIN - JAPAN
6. KSB PUMPS
7. ROVER PUMPS
8. YANMAR PUMPS - JAPAN
9. VARISCO - ITALY
10. SS/CI SUBBERSIBLE PUMPS
11. KCB GEAR PUMPS

DISPENSERS

1. DRESSER WAYNE - USA
2. BENNET - USA
3. SAMPI - USA
4. FILL - RITE - USA

MOTORS

1. TECO MOTOR - TAIWAN
2. BROOKS U.K.
3. WEG BRAZIL4
4. CROMPTON GREAVES - INDIA

HOSES

1. PETROLEUM HOSES - USA / GERMANY / ITALY
2. COMPOSITE HOSES - USA / U.K/EUROPE
3. FUEL DISPENSING HOSES - GERMANY / USA
4. AVIATION / CHEMICAL / PP HOSES

QUICK CAMLOCK COUPLING

1. CAMLOCK COUPLING - TAIWAN /USA
2. EVER - TITE - USA
3. OPW NETHERLANDS - USA
4. CIVACON - USA

NOZZLE

1. OPW - USA
2. HUSKY - USA
3. ELAFLEX - GERMANY
4. MORRISON - USA

TANK TRUCK AND TRANSPORT EQUIPMENT - UK / USA

1. MANHOLE COVERS
2. EMERGENCY VALVES
3. PRESSURE VACCUM VENTS
4. API ADAPTERS AND COUPLERS
5. BOTTOM LOADING AND TOP LOADING VAPOUR RECOVERY SYSTEMS
6. GUAGES, HATCHES VENTS AND INSTRUMENTATION
7. SCULLY OVERFILL PROTECTION SYSTEMS
8. FUEL FILTERS / OIL FILTERS WATER SEPARATORS

HOSE REELS - USA

1. HANNAY HOSE REELS
2. REELCRAFT HOSE REELS
3. DURO HOSE REELS
4. GROUNDING REELS

VALVES

1. BALL VALVES
2. GATE VALVES
3. CHECK VALVES
4. GLOBE VALVES- EUROPE / USA / UK.

PIPES

1. MS PIPES
2. GI PIPES
3. ERW PIPES - EUROPE / USA

FITTINGS

1. BUTTWELD FITTINGS
2. SCREWED FITTINGS - EUROPE / USA



شركة ناريمان للتجارة ذ.م.م.

NARIMAN TRADING CO. L.L.C.

Leading Industrial and Oil-field Equipment Supply Company in UAE

Sharjah Head Office

Tel: +971-6- 5531749/35
Fax: +971-6- 5530409
P.O. Box: 6103
Crafter Pilot Road, Sharjah - U.A.E.
E-mail: nariman@narimantco.net.ae

Ajman Branch

Tel: +971-6- 7431813
Fax: +971-6- 7431863
P.O. Box: 6103 (Sharjah)
New Ind. Area, Ajman - U.A.E.
E-mail: nariman@narimantco.net.ae

Musafah Branch

Tel: +971-7- 6000434
Fax: +971-7- 6000437
P.O. Box: 6103 (Sharjah)
Musafah - M.V. Abu Dhabi - U.A.E.
Email: sales@narimanuae.com

Dealers in all kinds of

Petroleum pumps | Flow Meters | Tank Truck Equip. | Oilfield suppliers
Marine Equipments | Hose Reels | Fuel Dispensers | General Trading

Website : <http://www.narimanuae.com>