





# XCHEM CHEMICALS PRODUCT DATA SHEET

## FORTSEAL - MULTI-PURPOSE CLEAR ADHESIVE

#### **DESCRIPTION**

FORTSEAL Multi-Purpose Clear Adhesive is a rubber based adhesive.

#### **KEY APPLICATION**

- 1. **FORTSEAL Multi-Purpose Clear Adhesive** forms excellent clear bonding to a wide variety and combination of materials including paper, wood, rubber, leather, metal, felt, canvas, plaster, fabrics, ceramics, brick, stone and some plastics.
- 2. **FORTSEAL Multi-Purpose Clear Adhesive** is a handy adhesive to have at offices and homes.

#### **KEY BENEFITS**

- 1. FORTSEAL Multi-Purpose Clear Adhesive has exceptional bonding properties to a wide variety of material giving a strong clear bond.
- 2. FORTSEAL Multi-Purpose Clear Adhesive is specially formulated to give good resistance to fats, oils and most household chemicals.
- 3. **FORTSEAL Multi-Purpose Clear Adhesive** is fast drying and allows items to be used within minutes of bonding

#### **DIRECTIONS FOR USE**

- 1. Ensure surfaces to be bonded are free from dust, oils, grease, moisture, dirt and other deposits.
- 2. Ensure you squeeze the tube from the bottom for maximum use of the product. For tins, use a suitable applicator and immediately close tin after use.
- 3. **FORTSEAL Multi-Purpose Clear Adhesive** must be applied to both surfaces to be bonded.
- 4. **FORTSEAL Multi-Purpose Clear Adhesive** must be touch dry before pressing the two surfaces firmly together.

- 5. Allow 3-5 minutes before handling.
- 6. Excess adhesive can be removed using a clean cloth dabbed in lacquer thinners or similar solvent.
- 7. Close the product tightly after use to avoid solvent losses.

#### **TECHNICAL DATA**

Appearance : Clear liquid

Viscosity at 25°C (Brookfield Spindle No.1) : 1500- 2500 CP

Specific Gravity at 25°C : 0.7-0.8 g/cm³

Tack free time : Approx: 3-5 minutes

### **CAUTION**

Children to use under adult supervision.

#### **STORAGE AND STABILITY**

**FORTSEAL Multi-Purpose Clear Adhesive** has a shelf life of 24 months when kept unopened and in original packaging under cool and dry conditions.

This product is recommended for use according to its Key Applications and Directions as listed on the packaging. DO NOT mix with improper substances as this will affect the quality and performance of the product. All cautionary measures should be noted as indicated to ensure safer use. XChem will replace products if found to be defective.

The data and recommendations concerning this product are the result of XCHEM extensive laboratory testing and experience.





Rubber wheel stopper supplier dubai I Parking space solution dubai I Kerb stopper supplier sharjah I Wheel stopper suppliers dubai I Wheel stopper manufacturers sharjah I Rubber wheel chokes supplier sharjah I Car stopper stockiest sharjah I Slip stopper stockiest dubai I Wheel wedge supplier abu dhabi I Bumper guard supplier Sharjah I Wholesale rubber stopper suppliers dubai I Parking wheel blocks supplier abu dhabi I Wheel chokes dubai I Rubber vehicle stopper dubai I Wheel chokes traders Dubai I Wall guards stockiest sharjah I Rubber corner guards supplier dubai I Speed humps in UAE I Divider barrier uae I Speed breakers in Dubai I Speed humps in UAE I Speed breaker supplier I Speed breaker Installer in Dubai I Solid rubber speed humps supplier Sharjah I Reflective rubber speed humps traders dubai I Safety bollards suppliers sharjah I Rubber wall protector dubai I Plastic rubber wall protector sharjah I Rubber wall protection rail companies sharjah I Corner protectors abu dhabi I Rubber corner guards in Dubai I Parking corner guard rak I Reflective corner guards fujairah I Stair noising supplier dubai I Angles supplier sharjah I Corners and angles dubai I Universal adapting profiles dubai I Edge trims supplier sharjah I Stair rods with end stops supplier sharjah I Triangular stair rod clips in sharjah I Stair road eye in Sharjah I